




Trusted British quality, Innovative design, Great value

A high-angle photograph of a modern interior space. On the right, a tall, black-framed glass elevator with a platform is visible. The elevator has a glass door and a glass panel with a small framed picture. To the left, there is a lounge area with a dark grey sofa, a matching armchair, and a small coffee table. A large window in the background shows greenery outside. The floor is dark and polished.

Luxury Platform Elevator



ABOUT TITAN NEW LIFTS

Titan New Lifts is one of the leading Independent Lift suppliers in the UK, established in 2006, TNL has focused on designing and developing complete solutions for every building. Over the years the business has grown steadily and today the company sells its products worldwide.

Titan New Lifts headquarter office located in Kent - UK in addition to manufacturing and logistics centres in the UK , EU and China.

In an era defined by the rapid convergence of technology and innovation, Titan has seized the opportunity to blend the renowned quality and design excellence of the United Kingdom with the cutting-edge smart technology advancements of China. This combination ensures that consumers receive not just another product, but an experience that is a perfect blend of heritage and innovation.

Through our exceptional and motivated team, TNL proud on always going above and beyond the call of duty, and regard governing regulations and standards as the minimum to satisfy the customers' requirements and deliver outstanding customer service, exceptional engineering and first-class workmanship.



TAKING YOU TO THE NEXT LEVEL ... OF LUXURY.

Welcome to a world where luxury reaches new heights. Step into the world of home lifts that elevate your living experience to unparalleled levels of elegance and convenience.

The technology behind these home lifts is state-of-the-art, ensuring a smooth and silent ascent to each floor of your home.







KEY FEATURES


Type of Lift:	Platform Lift
Drive System :	Belt Traction
Rated Speed:	0.3m/s
Rated Load:	180 ,250 ,300 or 400kg
Pit Required:	60 mm or (0 mm with ramp)
Top Height:	Minimum 2250mm
Travel Height:	Up to 20,000 mm
No. of Stops:	Up to 7 Stops
No. of doors per floor:	3 doors per floor
Platform control:	Auto Run
Environment:	Indoor
Emergency lowering:	Battery operated emergency lowering
Power supply:	1-phase 220V 60Hz/13.4A (Three wire system) 3-phase 380V 60Hz/13.4A (Five wire system)
Motor Power:	Rated Power: 1.7kW, Actual running power: 0.8kW



DIVERSE LOCATION LAYOUT



Hoistway frame Color selection



STANDARD SHAFT COLOR



Deep Gray



Porcelain Hyun White



Frosted Gold



Champagne Gold



Note: Other colors are available upon request.

DOOR OPENING TYPE



Single Door



Unequal Double Door



Center Opening Door

Note: Options of Semi-Manual and Automatic doors are available



PLATFORM BACK PANEL



Stainless Rock Pattern
JB - 01



Rock slab
JB - 02



Wood veneer
JB - 03



Back light Panel
JB - 04

Backlight Panel Options



INTELLIGENT BUTTON PANELS




Integrated COP with touch buttons
COP-A10



Integrated COP with touch buttons
COP-A13



15.6 Intelligent touch screen
COP-A15



18.5 Intelligent touch screen
COP-A18

- Floor Designation Display
- Touchscreen Control
- Password Configuration
- One key calling system
- Media Upload Capability



Multiple options for
Personalized call buttons

CALL BUTTONS



Standard
HOP-A08



Long Waist Type
HOP-A09



Touch Screen (square)
HOP-A15



Clear (standard)



Ultra Clear



Milky White




Light Grey



Blue Grey



Tawny



Dark




Glass Key Features

- Tempered Laminated Glass
- Thickness 10mm (5mm + 5mm)

Starry sky top,
atmosphere light
JD - 03



Black acrylic plate + spotlight (standard)
JD - 01



Black acrylic plate + Surrounding line lights (optional)
JD - 02

AMBIENT LIGHT OPTION

BLUE
DT - 01



WHITE
DT - 02



RAINBOW
DT - 03



FLOOR STYLE

PVC (STANDARD)



DB - C01



DB - C02




DB - C03


WOVEN (STANDARD)




DB - B01




DB - B02




DB - B03



DB - D01



DB - D02



DB - D03

ROCK BOARD



DB - A01




DB - A02



DB - A03

CUSTOMIZED SIZES

Make full use of space




Minimum top height 2250mm

Pit depth 0-60mm

Min. space for platform elevator installation: 930x890mm

Platform width PW minimum 850mm - maximum 1400mm,
The size range supports 510mm increase or decrease.

Platform depth PD minimum 510mm-maximum 1110mm,
The size range supports 50mm increase or decrease.



CAPACITY	PW	PD	KW	KD	TW	TD
180kg	850mm	660mm	900mm	1010mm	930mm	1040mm
250kg	950mm	810mm	1000mm	1160mm	1030mm	1190mm
300kg	1050mm	860mm	1100mm	1210mm	1130mm	1240mm
400kg	1150mm	960mm	1200mm	1310mm	1230mm	1340mm



Minimal Structural Impact



SPACE-SAVING PLATFORM

No Machine Room

Glass Door


Glass Shaft

Touchscreen COP

Belt Traction

High Back Panel

No Pit





LOW PIT

Titan platform lift designed to be a solution where you don't have a pit it can be installed in 60mm or even 0 pit.



LOW HEADROOM

Titan platform lift required only 2250mm for the headroom.



SPEED 0.3m/s

Higher speed compared to other platform lifts.



LOW MAINTENANCE

TNL motor drive technology eliminates the need for adding or replacing grease, which prevents oil leakage, and ensures low noise levels in the lift.



POWER REQUIREMENTS

Motor power is 2.7kw, actual usage power is 0.8kw, Single-phase 220V three-wire system can meet the requirement, equipped with separate 20A current air switch.




SAFE & SILENT

Titan Platform Lift is safe and silent due to the Intelligent electronic control without contactor.



ENERGY SAVING CONTROL

LED efficient and energy-saving lights. It will automatically switched off when the elevator is not in use, which saves electricity and is environmentally friendly.



SIZE OPTIONS

Titan Platform has customized sizes to accommodate the customer's requirements.




ENSURE SAFETY, STABILITY AND COMFORT


Frequency conversion control system combined with magnetic railing ruler, accurate positioning and levelling, to provide you with a safe, comfortable and quiet experience.

Space-Saving Solution

Conventional Cabin Lift



Titan Platform Lift





Advantages of Titan Platform Lift

ULTIMATE SAFETY

Safety is a top priority for Titan New Lifts. The lifts are equipped with certified advanced control systems and safety features, you can rest assured that your ride is not only luxurious but also secured. Titan New Lifts provides peace of mind to you and your beloved ones.



POWER FAILURE DEVICE

In the event of power failure, the elevator will automatical go to the nearest floor and open the door.



SAFE BORDER PROTECTION

There are safety borders on three sides of the platform, the elevator will stop when getting stuck.



ONE-KEY CALLING SYSTEM

One key call in case of emergency, you can directly call the 5 contact numbers previously saved.




EMERGENCY DOOR KEY

In case of emergency, you can open the door and evacuate the lift using the door key.



DOOR ANTI-CLIP PROTECTION FUNCTION

When elevator door is opened and closed, it will automatically open in the reverse direction in case of locked-rotor.



Your safety is our priority





UK - HQ

Fleet House, Springhead Enterprise Park
Northfleet, Kent DA8 11HJ

MENA - HQ

DWC, Dubai World Central, Unit WA-47
Dubai, United Arab Emirates

Tel: +971 4 870 3999 • info.titan@eeegroup.me
www.titannewlifts.co.uk